

TR20 QUOTATION SHEET

TO:

PLACE OF DELIVERY: Qingdao Port

WARRANTY: 1 Year(since the date that buyer receive the machine)

PACKING WAY: 2 Units In 40HQ container

TERMS OF PAYMENT:

DELIVERY TIME 20-25 days days after deposit.

Minimum Order 1 Unit

MODEL	DESCRIPTION	U-P (FOB QINGDAO)	QTY	AMOUNT
TR20	Standard Bucket, Rops&Fops Cabin, Luxury Cabin Interior ,Xichai 4DX21-72 Engine(55kw), E-Mark Seat, Adjustable Steering Wheel, Floating function,130W Heater, 220V Engine Heater , Lock for Lifting and Steering Cylinder, Backward Imagine, Tipping Cabin,Air Brakes Mechanical Joystick, Disc-Brake System, 16/70-20 tires,BlinkingLamp without Key		1	
OPTIONS				
TOTAL FOB QINGDAO				

Picture I



Optional Equipments:

Quick hitch		Varta Anti-Freeze Battery	
Electric Joystick		Loader Damper	
E4 Lamp		Loading Weighter	
LED Working Light		Centralization Lubrication	
LED Alarm Light		Bobcat Quick Hitch	
Extra Hydraulic Line		Euro Quick Hitch	
Trailer Ball		Trima Quick Hitch	
Multi-functions Electric Joystick with 5 buttons		Extra Heater	
Multi-functions Electric with 4 buttons		Extra Oil Cooler	
Rear Hydraulic Line		8 Gears Shift	
Extra Electric Line		Air Seat(without Air Pump)	
Rear Sand Spreader Oil Line + Left Joystick		Crane Valve	
3 Point Hitch		Diesel Heater	
Air Conditioner		Tyre Chains	

Optional Tires & Engines:

405/70-20 Tires		Kohler KDI2504TCR Engine(Tier4)	
Cummins QSF2.8 Engine(Tier4)		DF Cummins(Euro3)	
Yanmar4TNV98CT(Tier4)		Xinchai 4E30YG40(Euro3B)	
Xinchai 4E30YG52(Euro5)			

Attachments:

Pallet Forks		V-Snow Blade	
Adjustable Pallet Forks		Snow Blade With Wings	
Grapple Forks		Crops Blade	
European Grapple Forks		Bale Grab	
Wooden Forks		Drum Folder	
360 Degree Wooden Forks		Sweeper	
Manure Forks		Sweeper With Collector	
Grapple Bucket		Sweeper With Water Tank	
4 In 1 Bucket		Auger(400Mm)	
Light Bucket		Hammer	
Snow Bucket		Flail Mower	

Snow Bucket With Wings		Cutter Head	
Mixer Bucket		Snow Blower	
Rock Bucket		Digger	
Crops Bucket(1.6m ³)		Digger With Thumb	
High-Dumping Bucket		Hydraulic JIB	
Tilting Bucket		JIB	
Sand Spreader(Front)		Rake	
Salt Spreader		Hay Forks(One Fork)	
Sand Spreader(Rear)		Hay Forks(Two Forks)	
Snow Blade		Double-Blade Bucket	

Specifications:

1.0 Engine Details

(1) Model:	Xichai 4DX21-72 Engine
(2) Engine Type:	In-line arrangement,water-cooled,four-cycle diesel engine
(3) Rated Power:	53KW
(4) Rated Speed:	2400 r/min(rpm)
(4) Fuel Consumption ration in Standard working condition:	230g/kw.H

2.0 Transmission System

(1) Type:	Fixed-spindle power shift
(2) Shift gear control oil pressure	1.2-1.5 MPa
(3) Rated input speed:	2500(rpm)

3.0 Bucket

(1) Bucket capacity:	0.72 m ³
(2) Bucket Width:	2040mm
(3) Bucket type:	Heavy-duty bolt on teeth
(4) Rated Load:	2000kg

4.0 Overall Dimensions

(1) Overall length(bucket on ground)	5710mm
(2) Overall Height	2800mm
(3) Overall width	2040mm

5.0 Operating Specifications

(1) Steering system:	Articulated frame with hydraulic power steering
(2) Min.turning radius:	5460mm
(3) Driving system:	Hydraulic converter
(4) Operating Weight:	5000kg

6.0 Brake System

(1) Service Brake	Four wheel hydraulic spread-shoed brake
(2) Parking Brake	Hand operated

7.0 Tyre	16/70-20
-----------------	----------

